LIST OF CONTRIBUTORS

Abe, S. 334
Abell, J.S. 316
Adachi, K. 209
Aisaka, T. 181
Alvarado, S.F. 43
Aubertin, F. 263

Ballou, R. 340
Barthem, V.M.T.S. 340
Bennemann, K.H. 22
Brommer, P.E. 221, 352

Callaway, J. 17
Carbone, C. 43
Chu, D.-p. 363
Cooke, J.F. 134

Dorantes-Dávila, J. 22
Duc, N.H. 352

Edwards, D.M. 199
Endo, K. 323
Enomoto, Y. 116

Franse, J.J.M. 221, 306, 352
Fujiwara, H. 78
Fukamichi, K. 276

Gavigan, J.P. 345
Gignoux, D. 340
Givord, D. 345
Gonser, U. 263
Goto, T. 276
Gratz, E. 283
Grebennikov, V.I. 150

Haga, E. 181
Harmon, B.N. 131
Hasegawa, H. 175, 267
Hasegawa, T. 63
Herman, F. 175
Hien, T.D. 352
Hirooka, S. 156
Horie, Y. 84

Ibarra, M.R. 316
Iijima, M. 323
Inoue, J. 376

Jezierski, A. 244

Kaczkowski, Z. 232
Kadomatsu, H. 78
Kamigaki, K. 334
Kaneko, T. 334
Kato, T. 181
Kawai, H. 26
Kawasaki, K. 97
Kido, G. 334
Kim, D.J. 169
Komatsu, H. 276
Kontani, M. 209
Krop, K. 306
Kuang, J.-p. 209
Kurisu, M. 78

Lee, E.W. 316
Leung, T.C. 131
Li, H.S. 345
Limbach, C.T. 263
Liu, A.J. 134
Liu, S.H. 134

Makoshi, K. 26
Maksymowicz, A.Z. 240
Marumo, K. 334
Mase, S. 84
Mathon, J. 31
Matsui, M. 209
Matsumoto, M. 57
Menshikov, A.Z. 249
Misawa, S. 162
Miura, S. 334
Mizutani, U. 267
Mohn, P. 145
Mori, H. 311
Mōri, N. 226
Moser, J. 329
Moze, O. 316

Nagai, T. 97
Nagano, H. 319
Nakagawa, Y. 334
Nishihara, Y. 91
Numata, T. 73

Ogawa, A. 97
Ohoyama, T. 311
Ohta, Y. 11
Oka, K. 91
Okamoto, H. 194
Oomi, G. 73

Pastor, G.M. 22
Pettifor, D.G. 3

Radwanski, R.J. 306
Reissner, M. 329
Renaud, G.P. 217
Ross, D.K. 51

Saito, T. 323
Sakai, H. 311
Sakurai, J. 73
Sato, K. 319
Shiga, M. 293
Shimizu, K. 319
Shinogi, A. 323
Sinha, S.K. 51
Steinemann, S.G. 217
Steiner, W. 329
Sukiennicki, A. 37
Świrkowicz, R. 37

Takahashi, I. 69
Takahashi, T. 125
Tanaka, C. 169
Terao, K. 369
Turov, E.A. 150

Ukon, S. 169
Unoki, H. 91

Voiron, J. 345

Wakabayashi, H. 276
Wakoh, S. 57
Wang, X.W. 131
White, G.K. 255
Will, G. 329
Williams, D.E.G. 122
Wohlfarth, E.P. 145

Xu, Y. 363

Yamada, H. 390
Yamada, N. 311
Yamashita, M. 78
Yang, G.-l. 363
Yasuda, T. 84
Yasui, M. 139
Yeung, W. 185
Yoshida, H. 334
Yoshimori, A. 26

Zhai, H.-r. 363

ANALYTIC SUBJECT INDEX

Amorphous ferromagnetic $Fe_{80}B_{20}$
– Crystallisation of — - Limbach et al. 149B (1988) 263
Annealing of Elinvar type alloys (see *Elinvar properties*) 149B (1988) 232
Antiferromagnetic bonds (see *Ising model*) 149B (1988) 125
Antiferromagnetism
– — of La_2CuO_4: Mössbauer effect of ^{57}Fe doped in La_2CuO_4 - Nishihara et al. 149B (1988) 91
Antiferromagnetism (see *Multilayers*) 149B (1988) 43
Antiferromagnetism (see *Structural phase transitions*) 149B (1988) 185
Asymmetric vector chain model (see *Magnetism of Fe clusters*) 149B (1988) 369
Atomic order (see *NiPt*) 149B (1988) 221
Au–Fe phase diagram (see *Ferromagnetism in α-Fe*) 149B (1988) 194

$BaCd_{11}$, $ThMn_{12}$, $NaZn_{13}$ structure-types (see *Structure maps*) 149B (1988) 3
Band structure (see *Gd*) 149B (1988) 131
BCC alloys (see *Gd*) 149B (1988) 131
Bloch wall stiffness constant (see *Percolation*) 149B (1988) 199
Boltzmann equations (see *Rare earth intermetallics*) 149B (1988) 283
Bond strength (see *Divacancies*) 149B (1988) 11
Bound state (see *Superconductor*) 149B (1988) 69
Bulk modulus
– Magnetic contribution to the — of 3d transition metals and alloys - Mōri 149B (1988) 226

Ce-compounds (see *Electrical resistivity*) 149B (1988) 73
$CeZn_2$ (see *Kondo anomaly*) 149B (1988) 78
Charge transfer (see *Isomer shift*) 149B (1988) 329
Charge transfer (see *Newns–Anderson model*) 149B (1988) 26
Chiral Potts model (see *Quasi-one-dimensional systems*) 149B (1988) 97
Clusters (see *Itinerant magnetism*) 149B (1988) 17
Co–Cr superlattices
– Itinerant-electron theory of ultra-thin — - Hasegawa and Herman 149B (1988) 175
Coercive force (see *Fe–Ce amorphous alloys*) 149B (1988) 276
Correlated electrons (see *Superconductor*) 149B (1988) 69
Critical exponents
– Paramagnetic — - Williams 149B (1988) 122
Crystal field
– NMR study of — effect on Tb in $TbNi_2$ - Shimizu et al. 149B (1988) 319
Crystal field (see *$SmNi_5$*) 149B (1988) 340
Crystal field (see *Thermal expansion*) 149B (1988) 316
Crystallisation (see *Amorphous ferromagnetic $Fe_{80}B_{20}$*) 149B (1988) 263
Cu (see *Many-body enhancement effects*) 149B (1988) 57
Cubic Laves phase transition metal compounds

– Electronic structure and magnetic properties of the — - Yamada 149B (1988) 390
Curie temperature (see *Fe–Ce amorphous alloys*) 149B (1988) 276
Curie temperature (see *Itinerant electron magnetism*) 149B (1988) 145

Debye temperature (see *Isomer shift*) 149B (1988) 329
Defect force (see *Divacancies*) 149B (1988) 11
Density of states (see *Cubic Laves phase transition metal compounds*) 149B (1988) 390
Density of states (see *Y–M compounds*) 149B (1988) 376
Density response function
– Self-consistent — method for dynamics of light interstitials in crystals - Sinha and Ross 149B (1988) 51
Density (see *Fe–Ce amorphous alloys*) 149B (1988) 276
Diffusion equations
– Multi-particle — and morphological instability in three dimensions - Enomoto 149B (1988) 116
Divacancies
– Bond energies and defect forces around — in bcc transition metals - Ohta 149B (1988) 11
Domain growth (see *Ising model*) 149B (1988) 125
Domain wall (see $SmNi_5$) 149B (1988) 340
Dynamical susceptibility
– Band model approach to the theory of the — and surface spin waves in transition metal thin films - Świrkowicz and Sukiennicki 149B (1988) 37

Electrical resistivity
– Effect of pressure on the — of the dense Kondo compound $Ce(In_{0.8}Sn_{0.2})_3$ - Oomi et al. 149B (1988) 73
Electrical resistivity (see *Rare earth intermetallics*) 149B (1988) 283
Electron gas (see *Plasmon dispersion*) 149B (1988) 63
Electron–phonon interaction (see *High-T_c superconductors*) 149B (1988) 84
Electron–phonon interaction (see *Temperature induced ferromagnetism*) 149B (1988) 169
Electronic specific heat coefficient (see *3d-transition metal*) 149B (1988) 267
Electronic specific heat (see *Gd*) 149B (1988) 131
Elinvar properties
– — of the Fe–Ni–Cr–Ti alloys - Kaczkowski 149B (1988) 232
Epitaxial interfaces (see *Multilayers*) 149B (1988) 43
ε-Mn_3Ge
– Magnetic properties of — - Yamada et al. 149B (1988) 311
$Er(Co_{1-x}Cu_x)_2$
– Magnetic properties of the — and $Y(Co_{1-x}Cu_x)_2$ compounds - Duc et al. 149B (1988) 352
Exact calculation of small system (see *Newns–Anderson model*) 149B (1988) 26
Exchange anisotropy (see *Co–Cr superlattices*) 149B (1988) 175
Exchange anisotropy (see *Multilayers*) 149B (1988) 43
Exchange enhanced paramagnetism (see *$Gd(Co_{1-x}Ni_x)_2$*) 149B (1988) 334
Exchange scattering (see *Plasmon dispersion*) 149B (1988) 63
Exchange splitting (see *Photoemission*) 149B (1988) 181

Fe–Ce amorphous alloys
– Magnetic properties and density of — - Fukamichi et al. 149B (1988) 276
Fe–Ni–Cr–Ti alloys (see *Elinvar properties*) 149B (1988) 232

Fe–Pd alloys
– Electronic, phonon and magnon specific heats of — - Kuang et al. 149B (1988) 209
$Fe_{65}Ni_{35}$ Invar alloys (see *Bulk modulus*) 149B (1988) 226
Fermi liquid effect
– Susceptibility maximum as a — in paramagnetic Fermi liquids - Misawa 149B (1988) 162
Fermi surface (see *Many-body enhancement effects*) 149B (1988) 57
Ferrimagnetism (see *$Gd(Co_{1-x}Ni_x)_2$*) 149B (1988) 334
Ferromagnetic alloys (see *Local magnetic moments*) 149B (1988) 240
Ferromagnetic–paramagnetic transition (see *Critical exponents*) 149B (1988) 122
Ferromagnetism
– — of Ni - Hirooka 149B (1988) 156
Ferromagnetism in α-Fe
– Effect of — on the form of Au–Fe phase boundaries - Okamoto 149B (1988) 194
First-order transition (see *$Er(Co_{1-x}Cu_x)_2$*) 149B (1988) 352
Form factor (see *Orbital susceptibility*) 149B (1988) 134
Formation energy (see *Divacancies*) 149B (1988) 11

Gd
– Spin-polarized electronic structure of bcc — - Leung et al. 149B (1988) 131
$Gd(Co_{1-x}Ni_x)_2$
– High-field susceptibility of pseudobinary compounds — - Kaneko et al. 149B (1988) 334
Generalized random phase approximation (see *Plasmon dispersion*) 149B (1988) 63
Grüneisen (see *Heat capacity*) 149B (1988) 255

Heat capacity
– The — of transition metals at high temperatures - White 149B (1988) 255
Heavy fermion system (see *Fermi liquid effect*) 149B (1988) 162
High field magnetism (see *$Gd(Co_{1-x}Ni_x)_2$*) 149B (1988) 334
High pressure (see *Electrical resistivity*) 149B (1988) 73
High-T_c superconductors
– Roles of transition metal atoms in — - Mase et al. 149B (1988) 84
$HoAl_2$ (see *Thermal expansion*) 149B (1988) 316
Hubbard model (see *Itinerant magnetism*) 149B (1988) 17

Intermetallic compound (see *ε-Mn_3Ge*) 149B (1988) 311
Invar
– Thermal disorder and magnetic fluctuations in — type alloys - Renaud and Steinemann 149B (1988) 217
Invar effect
– — in rare earth–iron intermetallic compounds - Radwanski et al. 149B (1988) 306
Ising model
– Domain growth in the — with impurities or antiferromagnetic bonds - Takahashi 149B (1988) 125
Isomer shift
– Volume dependence of the ^{57}Fe — in $Y(Fe,Al)_2$ - Steiner et al. 149B (1988) 329
Itinerant electron ferromagnetism (see *Temperature induced ferromagnetism*) 149B (1988) 169
Itinerant electron magnetism
– The influence of spin fluctuations in — - Wohlfarth and Mohn 149B (1988) 145
Itinerant electron metamagnetism (see *Cubic Laves phase transition metal compounds*) 149B (1988) 390

Itinerant electron metamagnetism (see *$Lu(Co_{1-x}Al_x)_2$*) 149B (1988) 323
Itinerant electron model (see *Dynamical susceptibility*) 149B (1988) 37
Itinerant electrons (see *Ferromagnetism*) 149B (1988) 156
Itinerant magnetism
– Cluster simulation of — - Callaway 149B (1988) 17

Knight shift (see *$Lu(Co_{1-x}Al_x)_2$*) 149B (1988) 323
Kondo anomaly
– — and metamagnetism of $CeZn_2$ at high pressure - Kurisu et al. 149B (1988) 78
Kondo effect (see *Electrical resistivity*) 149B (1988) 73
Kubo formula (see *Rare earth intermetallics*) 149B (1988) 283

La_2CuO_4 (see *Antiferromagnetism*) 149B (1988) 91
Landau state (see *Plasmon dispersion*) 149B (1988) 63
Lattice dynamics (see *Invar*) 149B (1988) 217
Laves phase manganese compounds
– Magnetism and spin fluctuations of — - Shiga 149B (1988) 293
Laves phase (see *$Lu(Co_{1-x}Al_x)_2$*) 149B (1988) 323
Laves phases (see *Isomer shift*) 149B (1988) 329
$(La_{1-x}Sr_x)_2CuO_4$ (see *High-T_c superconductors*) 149B (1988) 84
Light interstitials (see *Density response function*) 149B (1988) 51
Local density of states of Fe clusters (see *Magnetism of Fe clusters*) 149B (1988) 369
Local magnetic moments
– — in V_xFe_{1-x} substitutional alloys - Maksymowicz 149B (1988) 240
Localization (see *Percolation*) 149B (1988) 199
Low temperature (see *Fe–Pd alloys*) 149B (1988) 209
$Lu(Co_{1-x}Al_x)_2$
– Magnetic properties and NMR in C15-type — - Shinogi et al. 149B (1988) 323

Magnetic alloys and compounds (see *Itinerant electron magnetism*) 149B (1988) 145
Magnetic cooling (see *Fe–Ce amorphous alloys*) 149B (1988) 276
Magnetic excitations (see *$Pt_{1-c}(Mn_xCr_{1-x})_c$ alloys*) 149B (1988) 244
Magnetic fluctuations (see *Invar*) 149B (1988) 217
Magnetic phase diagram (see *3d-transition metal*) 149B (1988) 267
Magnetic phase diagrams
– — in systems with several related order parameters - Menshikov 149B (1988) 249
Magnetic properties (see *Cubic Laves phase transition metal compounds*) 149B (1988) 390
Magnetic properties (see *ε-Mn_3Ge*) 149B (1988) 311
Magnetic properties (see *$SmNi_5$*) 149B (1988) 340
Magnetic structure (see *Laves phase manganese compounds*) 149B (1988) 293
Magnetic susceptibility (see *$Lu(Co_{1-x}Al_x)_2$*) 149B (1988) 323
Magnetic susceptibility (see *Spin–orbit susceptibilities*) 149B (1988) 139
Magnetism of Fe clusters
– — in $Zr(Fe_{1-x}Co_x)_2$ - Terao 149B (1988) 369
Magnetism (see *Small Fe_n-clusters*) 149B (1988) 22
Magnetization in ferromagnetic surfaces
– Temperature dependence of the — and overlayers - Mathon 149B (1988) 31
Magnetocrystalline anisotropy
– On the — of Pr–transition metal intermetallics - Xu et al. 149B (1988) 363

Magnetoelasticity (see *Invar*) 149B (1988) 217
Magnetostriction (see *Thermal expansion*) 149B (1988) 316
Magnetovolume effects (see *Invar effect*) 149B (1988) 306
Magnetovolume effects (see *Laves phase manganese compounds*) 149B (1988) 293
Magnetovolume effects (see *Y–M compounds*) 149B (1988) 376
Magnons (see $Pt_{1-c}(Mn_xCr_{1-x})_c$ *alloys*) 149B (1988) 244
Manganese alloys (see *Structural phase transitions*) 149B (1988) 185
Manganese–germanium system (see ε-Mn_3Ge) 149B (1988) 311
Many-body enhancement effects
– Positron–electron — in copper - Matsumoto and Wakoh 149B (1988) 57
Mechanical quality factor (see *Elinvar properties*) 149B (1988) 232
Metal surface (see *Newns–Anderson model*) 149B (1988) 26
Metamagnetism (see *Kondo anomaly*) 149B (1988) 78
Metamagnetism (see *Y–M compounds*) 149B (1988) 376
Monte Carlo simulation (see *Ising model*) 149B (1988) 125
Morphological instability (see *Diffusion equations*) 149B (1988) 116
Mössbauer effect (see *Antiferromagnetism*) 149B (1988) 91
Mössbauer spectra (see *Isomer shift*) 149B (1988) 329
Mössbauer spectroscopy (see *Amorphous ferromagnetic* $Fe_{80}B_{20}$) 149B (1988) 263
Multilayers
– Magnetism and epitaxy of Fe/Cr(001) — - Alvarado and Carbone 149B (1988) 43
Multiple spin density wave (see *Structural phase transitions*) 149B (1988) 185

Nearly ferromagnetic Fermi liquid (see *Fermi liquid effect*) 149B (1988) 162
Newns–Anderson model
– Exact calculation for the time-dependent — in a small system - Kawai et al. 149B (1988) 26
Ni (see *Ferromagnetism*) 149B (1988) 156
Nickel (see *Photoemission*) 149B (1988) 181
NiPt
– Magnetic properties of ordered — - Brommer and Franse 149B (1988) 221
NMR (see *Crystal field*) 149B (1988) 319
Non-stoichiometric compounds (see *Cubic Laves phase transition metal compounds*) 149B (1988) 390

Orbital susceptibility
– A fast and accurate method for the calculation of — and form factor of paramagnetic transition metals - Liu et al. 149B (1988) 134
Orbital susceptibility (see *Spin–orbit susceptibilities*) 149B (1988) 139
Ordering kinetics (see *Quasi-one-dimensional systems*) 149B (1988) 97
Ostwald ripening (see *Diffusion equations*) 149B (1988) 116

Paramagnetic Fermi liquid (see *Fermi liquid effect*) 149B (1988) 162
Percolation
– Itinerant electron magnetism, — and localization - Edwards 149B (1988) 199
Permanent magnets (see *Structure maps*) 149B (1988) 3
Phonon dispersion curves (see *High-*T_c *superconductors*) 149B (1988) 84
Phonon (see *Temperature induced ferromagnetism*) 149B (1988) 169
Photoemission
– Exchange splitting in — for nickel - Aisaka et al. 149B (1988) 181

Plasmon dispersion
– — of electron gas in a magnetic field - Hasegawa 149B (1988) 63
Positron annihilation (see *Many-body enhancement effects*) 149B (1988) 57
$PrCo_5$ (see *Magnetocrystalline anisotropy*) 149B (1988) 363
Pressure (see *Kondo anomaly*) 149B (1988) 78
$Pr_2Fe_{14}B$ (see *Magnetocrystalline anisotropy*) 149B (1988) 363
$Pt_{1-c}(Mn_xCr_{1-x})_c$ alloys
– Crystallographic order and magnetism in — - Jezierski 149B (1988) 244

Quasi-one-dimensional systems
– Dynamical behavior of domain walls in quenched — - Kawasaki et al. 149B (1988) 97

Random phase approximation (see *Density response function*) 149B (1988) 51
Rare earth–3d compound (see *$SmNi_5$*) 149B (1988) 340
Rare earth–Fe compounds (see *3d magnetism*) 149B (1988) 345
Rare earth intermetallics
– Influence of magnetic scattering processes on resistivity in — - Gratz 149B (1988) 283
Rare earth–iron compounds (see *Invar effect*) 149B (1988) 306
Rare earth–metal compound (see *$Gd(Co_{1-x}Ni_x)_2$*) 149B (1988) 334
Recursion method (see *Magnetism of Fe clusters*) 149B (1988) 369
Relativistic band structure (see *Spin–orbit susceptibilities*) 149B (1988) 139
Resistivity (see *$Er(Co_{1-x}Cu_x)_2$*) 149B (1988) 352

Saturation moments (see *Gd*) 149B (1988) 131
Small Fe_n-clusters
– The magnetic properties of small Fe_n-clusters - Pastor et al. 149B (1988) 22
$SmNi_5$
– Crystal field effects in the hexagonal — compound - Ballou et al. 149B (1988) 340
Specific heat (see *Fe–Pd alloys*) 149B (1988) 209
Spin fluctuations (see *Ferromagnetism*) 149B (1988) 156
Spin fluctuations (see *Itinerant electron magnetism*) 149B (1988) 145
Spin fluctuations (see *Laves phase manganese compounds*) 149B (1988) 293
Spin fluctuations (see *Transition metals*) 149B (1988) 150
Spin glass (see *3d-transition metal*) 149B (1988) 267
Spin glass (see *Fe–Ce amorphous alloys*) 149B (1988) 276
Spin–orbit susceptibilities
– Orbital and spin–orbit magnetic susceptibilities in bcc transition metals: V, Nb and W - Yasui 149B (1988) 139
Spin-polarized spectroscopy (see *Multilayers*) 149B (1988) 43
Spin wave stiffness coefficient (see *$Pt_{1-c}(Mn_xCr_{1-x})_c$ alloys*) 149B (1988) 244
Spin wave stiffness constant (see *Percolation*) 149B (1988) 199
$SrLaFeO_4$ (see *Antiferromagnetism*) 149B (1988) 91
Structural phase transitions
– Magnetically induced — - Yeung 149B (1988) 185
Structural stability (see *Small Fe_n-clusters*) 149B (1988) 22
Structure maps
– — in magnetic alloy design - Pettifor 149B (1988) 3

Superconductor
– A possible mechanism for high-T_c superconductor: a bound state of strongly correlated pair electrons - Takahashi 149B (1988) 69
Surface spin waves (see *Dynamical susceptibility*) 149B (1988) 37
Susceptibility maximum (see *Fermi liquid effect*) 149B (1988) 162
Susceptibility (see *NiPt*) 149B (1988) 221

$TbNi_2$ (see *Crystal field*) 149B (1988) 319
Temperature induced ferromagnetism
– Phonon mechanism of — - Kim et al. 149B (1988) 169
Thermal expansion
– Anomalous — and magnetostriction in $HoAl_2$ - Ibarra et al. 149B (1988) 316
Thermal expansion (see *$Er(Co_{1-x}Cu_x)_2$*) 149B (1988) 352
Thermal expansion (see *Laves phase manganese compounds*) 149B (1988) 293
Thermal expansion (see *NiPt*) 149B (1988) 221
Thermal spontaneous ferromagnetism (see *Y–M compounds*) 149B (1988) 376
Thermodynamic model (see *Ferromagnetism in α-Fe*) 149B (1988) 194
Thermoelastic coefficient (see *Elinvar properties*) 149B (1988) 232
Thin ferromagnetic films (see *Dynamical susceptibility*) 149B (1988) 37
Tight-binding bond model (see *Divacancies*) 149B (1988) 11
3d magnetism
– 3d magnetism in R–M and $R_2M_{14}B$ compounds (M = Fe, Co; R = rare earth) - Gavigan et al. 149B (1988) 345
3d-transition metal
– Magnetic and electronic states of the pseudobinary 3d-transition metal amorphous alloys $[a_{1-x}b_x]_{77}B_{13}Si_{10}$ (a,b = Ti–Cu) - Mizutani and Hasegawa 149B (1988) 267
3d transition metals and alloys (see *Bulk modulus*) 149B (1988) 226
Transition metal clusters (see *Small Fe_n-clusters*) 149B (1988) 22
Transition metals
– Magnetism and transport phenomena of — in spin fluctuation theory of itinerant electrons - Turov and Grebennikov 149B (1988) 150
Transition metals (see *Heat capacity*) 149B (1988) 255
Transition metals (see *Magnetic phase diagrams*) 149B (1988) 249
Transition metals (see *Orbital susceptibility*) 149B (1988) 134
Transition metals (see *Spin–orbit susceptibilities*) 149B (1988) 139
Transition temperature (see *ε-Mn_3Ge*) 149B (1988) 311
Two-dimensional system (see *Ising model*) 149B (1988) 125

Universality class (see *Quasi-one-dimensional systems*) 149B (1988) 97

V_xFe_{1-x} (see *Local magnetic moments*) 149B (1988) 240

Y–M compounds
– Electronic structure and magnetism of Y–M (M = Mn,Fe,Co and Ni) compounds - Inoue 149B (1988) 376
$YBa_2Cu_3O_7$ (see *High-T_c superconductors*) 149B (1988) 84
$Y(Co_{1-x}Cu_x)_2$ (see *$Er(Co_{1-x}Cu_x)_2$*) 149B (1988) 352

$Zr(Fe_{1-x}Co_x)_2$
– Magnetism of Fe clusters in — - Terao 149B (1988) 369